

How to use class files for academic conference proceedings

Information System Operation Committee (Mathematical Society of Japan)*

2022.6.11

Contents

1	Introduction	1
1.1	Class file specifications	1
1.2	Download and install.....	2
1.3	Packages loaded by msjproc	2
2	Instructions	2
2.1	Class file options	3
2.2	How to write a bibliography.....	3
2.3	Specification change/extension function.....	3
2.4	Functional restriction	4
3	Miscellaneous.....	4
3.1	Known bug.....	4
3.2	About copyright	4
3.3	contact information	4

1 Introduction

This is a simple documentation of class file `msjproc.cls` version 2.0.1 for the abstract collection of the Mathematical Society of Japan Annual Meeting and the Autumn General Subcommittee¹.

This class file is intended to provide a standard template for creating academic conference proceedings. If you follow the format of the abstract [2], you will not necessarily be required to write the proceedings.

1.1 Class file specifications

- It conforms to the Mathematical Society of Japan Abstract Form (revised in October 2011).

Paper size : A4 (width 210 mm × height 297 mm)

Body size : Width 155mm × Height 247mm

Extra White : Left and right margins 27.5mm,
Top and bottom margins 25mm

Title width : Within 135mm

Font size : 12pt

Page number : None

- It works with `pdfLATEX`, `pLATEX`, `upLATEX`, `LuaLATEX` and `XYLATEX`. Japanese mode is not supported with `pdfLATEX` and `XYLATEX`.
- It works with T_EX system 2018 or later. If you are using the system before 2018, please use `msjproc` version 1.0.1.

*The Mathematical Society of Japan, 1-34-8 Taito Taito-ku, Tokyo, 110-0016, Japan
web: <http://mathsoc.jp/>

¹This document itself is also created using the class file `msjproc.cls` with `[english]` option.

1.2 Download and install

You can download the archive file of the conference proceedings class from <https://www.mathsoc.jp/activity/meeting/texstyle/>. Class files should be upgraded for each meeting. Please use the latest one for posting. When the archive file is expanded, it looks like Figure 1.

mathsoc_v2.0.1/	
├ howto_en.pdf	this document
├ howto_en.tex	L ^A T _E X source file for this document
├ howtobib_en.bib	BIB _T E _X source file for this document
├ howto_ja.pdf	Japanese manual
├ howto_ja.tex	L ^A T _E X source file for Japanese manual
├ howtobib_ja.bib	BIB _T E _X source file for Japanese manual
├ abstract_2011.pdf	Society Abstract Format (Revised October 2011)
├ sjis/	Shift JIS Kanji code version folder
│ └ msjproc.cls	Class file for conference proceedings
│ └ sample_en.tex	Sample file (for English)
│ └ sample_ja.tex	Sample file (for Japanese)
└ utf8/	UTF-8 Kanji code version folder
│ └ msjproc.cls	Class file for conference proceedings
│ └ sample_en.tex	Sample file (for English)
│ └ sample_ja.tex	Sample file (for Japanese)

Figure 1: Archive file structure

Please put the class file `msjproc.cls` in the same folder as the L^AT_EX source. You do not need to install on the system. Do not change the character code of `msjproc.cls` from UTF-8.

*The line feed code of UTF-8 version is LF (0x0A). The line feed code for of Shift JIS is CR + LF (0x0D, 0x0A).

1.3 Packages loaded by msjproc

The following packages/class files are loaded by `msjproc`. Some of them are not loaded depending on class options.

`article`, `jsarticle`, `ltjsarticle`, `l3keys2e`, `expl3`, `iftex`, `geometry`,
`amsmath`, `amssymb`, `amsthm`, `url`, `titlesec`, `titletoc`

2 Instructions

To use this conference proceeding class file, please do as follows.

```
\documentclass{msjproc}
\begin{document}
:
\end{document}
```

As a default, this class files runs with Japanese mode. If you want to write a English article, add `english` option as

```
\documentclass[english]{msjproc}
```

The engine used is guessed by the class file. If you want to specify the engine explicitly, please add one of `platex`, `uplatex`, `lualatex`, `xelatex`, `pdflatex` to the class option.

2.1 Class file options

The following can be specified as options for `\documentclass`

```
draft    : draft mode
english  : Force to operate in English mode
```

2.2 How to write a bibliography

To describe references `thebibliography` environment and `\bibliography` command are available to use the output of `BibTeX`/`JBibTeX`. A bibliographic style files (BST file) is not provided, so please use a standard one.

2.3 Specification change/extension function

Though this class file is made based on `article.cls`, `jsarticle.cls` and `ltjsarticle.cls`, the description method such as title/author information is partially different. The commands that have been changed or extended/added from the `LATEX` are as follows.

```
\author{name}{affiliation}
```

If you write the command as many as the number of authors, it will be output vertically. Use this in the preamble.

```
\address{contact}
```

The contact information of the author specified by the previous `\author` command is displayed in the footnote. Use this in the preamble.

```
\email{email address}
```

Displays the author's email address specified in the previous `\author` command in the footnote. Use this in the preamble.

```
\webpage{webpage URL}
```

Displays the author's web page URL specified in the previous `\author` command in the footnote. An example is `\webpage{https://www.mathsoc.jp/}`. Use this in the preamble.

```
\thanks{comment}
```

This is an instruction used to describe Kakenhi and other grants, and will be displayed in the footnote. Use this in the preamble.

```
\keywords{keyword list}
```

Specify one or more keywords separated by commas. Appears in footnotes on page 1. However, nothing is output if it is not used. It is the same operation as AMS class file `amsart.cls`. Use this in the preamble.

```
\subjclass[version]{codelist}
```

Specify the AMS Mathematics Subject Classification code separated by commas. It is output in the footnote on the first page, but nothing is output if it is not used. Bar You can specify 1991, 2000, 2010 and 2020 as version. The default value is 2020. It works the same as the AMS class file `amsart.cls`. Use this in the preamble.

abstract environment

Used to write an overview of the proceedings.

You can write after the `\maketitle` command like the class files `article.cls`, `jarticle.cls`. You can also write before the `\maketitle` command, such as in the AMS class file `amsart.cls`.

Theorem environment

When `msjproc` is running in Japanese mode, the style of theorem environments defined by `\newtheorem` is changed to Japanese style.

For specific writing, please refer to `sample_ja.tex` and `sample_en.tex` in the archive.

2.4 Functional restriction

Some functions included in L^AT_EX₂ ϵ standard class files `article.cls`, `jarticle.cls` are disabled.

- Almost all options do not work.
- `twocolumn` option cannot be used.
- The page styles except `empty` are deleted.
- If you change the margins etc. in the source file, an error will occur. It will be checked. The variables are as follows.

<code>\textwidth</code>	<code>\headheight</code>	<code>\evensidemargin</code>
<code>\textheight</code>	<code>\headsep</code>	<code>\oddsidemargin</code>
<code>\topmargin</code>	<code>\footskip</code>	

- You cannot use the `\enlargethispage` command to temporarily increase the page height.

3 Miscellaneous

3.1 Known bug

The following bugs exist in this class file.

- If you use the `\footnote` command in `abstract` environment, depending on where you write `\maketitle`, the order in which the footnotes are numbered may be different. As a general rule, in `abstract` environment, do not use the `\footnote` command.

3.2 About copyright

1. Writings of class files and documents included in this package for academic conference proceedings. The copyright belongs to the Mathematical Society of Japan.
2. There are no particular restrictions on duplication and redistribution by users. It is prohibited to redistribute for a fee except for the minimum necessary cost.

3.3 contact information

To report bugs such as class file bugs and conflicts with existing style files, please contact the following for information and requests for improvement.

Mathematical Society of Japan
Information System Operation Committee
e-mail: texstyle@mathsoc.jp (for class file inquiry only)

References

- [1] The Mathematical Society of Japan. Class file for conference proceedings.
(<https://www.mathsoc.jp/activity/meeting/texstyle/>).
- [2] The Mathematical Society of Japan. Society abstract format, 2011.
(https://www.mathsoc.jp/meeting/texstyle/abstract_2011.pdf).